




## DIAMOND PROFILING WHEELS

### DRUM WHEEL



SIZE	DESCRIPTION	THREAD
2"	Φ50/40x35--50#	5/8"-11
3"	Φ75/65x35--50#	
4"	Φ100/90x35--50#	




DIAMETER	SIZE OF SEG	ATTACHMENT
Φ75	33x6x10	CNC TOOL HOLDER Φ35



DIAMETER	SIZE OF SEG	ATTACHMENT
Φ60	40x4x8	CNC TOOL HOLDER Φ35




### STUBBING WHEEL



SIZE	GRIT	ATTACHMENT
Φ50	50#	FLANGE
Φ87		
Φ91		
Φ100	60#	
Φ140		

### STRAIGHT SEGMENTED PROFILE WHEEL



DIAMETER	SIZE OF SGE	NO OF SEG	BORE
Φ350	40x7x10(9)	60	Φ60
Φ400	40x7x10(9)	68	Φ50
			Φ25.4

### DOUBLE ROW STRAIGHT SEGMENTED PROFILE WHEEL



DIAMETER	SIZE OF SGE	NO OF SEG
Φ400	38x10x12	120



## TWISTED SEGMENTED PROFILE WHEEL



DIAMETER	SIZE OF SGE	NO OF SEG	BORE
Φ140	25x8x3	32	Φ60 Φ50 Φ25.4
Φ350	40x8x6	60	
Φ400	40x8x6	68	
Φ450	40x8x6	76	

## SILENT TWISTED SEGMENTED PROFILE WHEEL



DIAMETER	SIZE OF SGE	NO OF SEG	BORE
Φ350	20x10x10(8.5)	38	Φ60
	38x10x11(9)	38	Φ50
Φ400	38x10x11(9)	42	Φ25.4